

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S186	7812	709/220,221,223,233,234,235.ccls.	USPAT	OR	OFF	2009/03/04 17:26
S187	36	(defin\$4 or pre\$1defin\$4) with (setting\$1 or test\$4) same network\$1 near2 configuration\$1 and test\$4 and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:27
S188	0	activespeed and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:32
S191	3434	configuration\$4 adj (templat\$4 setting\$1 rule\$1 ruling\$1) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:52
S190	22823	configuration\$4 with (templat\$4 setting\$1 rule\$1 ruling\$1) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:52
S189	7314	configuration\$4 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:52
S195	20	configuration\$4 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same performance with (optimiz\$9 test\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:53
S194	7	configuration\$4 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same performance near2 (optimiz\$9 test\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:53
S193	3	configuration\$4 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same performance near2 test\$4 and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:53
S192	245	configuration\$4 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same performance and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:53
S197	64	S196 not S195	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:54
S196	84	configuration\$4 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same perform\$4 with (optimiz\$9 test\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:54
S199	27	configuration\$4 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same performance with (optimal\$9 optimiz\$9 test\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:57
S198	27	configuration\$4 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same performance with (optimal optimiz\$9 test\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:57
S200	33	configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same performance with (optimal\$9 optimiz\$9 test\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/05 10:32

S201	107	configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same3 performance with (optimal\$9 optimiz\$9 test\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/05 16:25
S203	375	configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same performance and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/05 16:26
S202	1120	configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same3 performance and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/05 16:26
S205	81	configur\$6 near2 (templat\$4) same network \$4 and (optimiz\$6 or optimal\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/05 17:05
S204	228	configur\$6 near2 (templat\$4) same network \$4 and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/05 17:05
S206	71	configur\$6 near2 (templat\$4) with network \$4 and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/05 17:32
S207	58	S206 not S205	US-PGPUB; USPAT	OR	OFF	2009/03/05 17:33
S208	1304	configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same (latency or ping or stability or MTU or transmission or mss or segment or rwin or receive or ttl or live or black adj hole adj detection or packet adj2 size or upload or download) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/06 11:38
S212	116	network\$4 same configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same (latency or ping or stability or MTU or transmission or mss or segment or rwin or receive or ttl or live or black adj hole adj detection or packet adj2 size or upload or download) and (@ad<"20010321" @rlad<"20010321") and "709"/\$.cols.	US-PGPUB; USPAT	OR	OFF	2009/03/06 11:39
S211	33	network\$4 same configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same (latency or ping or stability or MTU or transmission or mss or segment or rwin or receive or ttl or live or black adj hole adj detection or packet adj2 size or upload or download) and (@ad<"20010321" @rlad<"20010321") and S210	US-PGPUB; USPAT	OR	OFF	2009/03/06 11:39
S210	7812	709/220,221,223,233,234,235.cols.	USPAT	OR	OFF	2009/03/06 11:39
S209	339	network\$4 same configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same (latency or ping or stability or MTU or transmission or mss or segment or rwin or receive or ttl or live or black adj hole adj detection or packet adj2 size or upload or download) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/06 11:39
S214	33	S211 not S213	US-PGPUB; USPAT	OR	OFF	2009/03/06 11:40
S213	33	configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) same performance with (optimal\$9 optimiz\$9 test\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/06 11:40

S216	206	network\$4 with configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client user) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/06 12:48
S215	240	configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client user) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/06 12:48
S217	2	network\$4 with configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) near5 (best optimiz\$6 or optimal\$4 optimum) with (client user) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/06 12:49
S219	2	network\$4 with configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client user) same2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (best optimiz\$6 or optimal\$4 optimum) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/06 12:50
S218	206	network\$4 with configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client user) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/06 12:50
S222	64	network\$4 same configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client user) same2 (templat\$4 setting\$1 rule\$1 ruling\$1) same (best optimiz\$6 or optimal\$4 optimum) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/06 12:52
S221	66	network\$4 same configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client user) same2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (best optimiz\$6 or optimal\$4 optimum) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/06 12:52
S220	4	network\$4 with configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client user) same2 (templat\$4 setting\$1 rule\$1 ruling\$1) same (best optimiz\$6 or optimal\$4 optimum) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/06 12:52
S223	21	network\$4 with configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client user) and (templat\$4 setting\$1 rule\$1 ruling\$1) same (best optimiz\$6 or optimal\$4 optimum) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/06 12:53
S227	35	network\$4 with configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client\$1 user\$1) same (client\$1 user\$1) near3 (choos\$4 select\$4 choic\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/09 17:35
S226	99	network\$4 same configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client\$1 user\$1) same (client\$1 user\$1) near3 (choos\$4 select\$4 choic\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/09 17:35

S225	96	network\$4 same configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client\$1 user\$1) same (client\$1 user\$1) near3 (choos\$4 select\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/09 17:35
S224	123	network\$4 same configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client\$1 user\$1) same (client\$1 user\$1) near3 (choos\$4 select\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/09 17:35
S231	114	configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client\$1 user\$1) same (client\$1 user\$1) with (choos\$4 select\$4 choic\$4) with (in on) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/09 17:37
S230	0	configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client\$1 user\$1) same (client\$1 user\$1) with (choos\$4 select\$4 choic\$4) with on and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/09 17:37
S229	0	configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client\$1 user\$1) same (client\$1 user\$1) near3 (choos\$4 select\$4 choic\$4) with on and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/09 17:37
S228	506	configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client\$1 user\$1) same (client\$1 user\$1) near3 (choos\$4 select\$4 choic\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT	OR	OFF	2009/03/09 17:37
S233	2	S232 not S227	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 17:39
S232	37	network\$4 with configur\$6 near2 (templat\$4 setting\$1 rule\$1 ruling\$1) with (client\$1 user\$1) same (client\$1 user\$1) near3 (choos\$4 select\$4 choic\$4) and (@ad<"20010321" @rlad<"20010321")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 17:39

3/10/09 2:52:17 PM

C:\Documents and Settings\AGold\My Documents\EAST\Workspaces\10078815.wsp